

The world, February 2026

Opus 4.5

GPT 5.2

GPT-4o retired

Tokyo Weekender
tokyoweekender.com › home › latest › japanese woman marries ai character she g...

Japanese Woman Marries AI ChatGPT Character

November 12, 2025 - Read about how a 32-year-old Japanese woman married “Lune Klaus,” a ChatGPT-generated character who exists entirely...



Local capable models

G

GPT OSS

D

Devstral Small

G

Gemma 3 27B

R

ran at ~ 12 token/s on my M4 Max

What happened since?

Technologies

MTP *Weaver* **DFlash** **NVFP4**

Hybrid Linear Attention *SSD Streaming*

Engrams *Better Quantizations* *1bit / Ternary Weights*

Native Kernels

Inference Engines

Strata **SwiftLM** **Flash-MoE** **Janas**


magnitude **slotstream** *Rec* *MTPLX*

TensorFold *Unsloth Studio* *Poolside* *edge0*


DwarfStar **oMLX** **Splash** **colibri** *Gufo*

Rapid-MLX *MLX-Serve* *Local*

Local Optimized Models on HuggingFace since Feb 2026





Token / s for the same model



Same model and quantization, different engines: LM Studio → MLX Serve.

Open Source Model Intelligence for < 32GB machines







Poolside Desktop app & Laguna Model: Bought by Nvidia

February 2026

MLX-Serve





OMLX




March 2026


Unsloth Studio




1UP
000175
HI
000200
Following
antirez
@antirez
Reproducible bugs are candies.
I like programming too much for not liking automatic programming.
In elenco AGCOM.
Sicily, Italy
invece.org
Joined May 2007
806 Following
83.6K Followers

May 2026


ds4
Public
Watch 174
Fork 2.3k
Star 24.2k
main
Go to file
Code
antirez Validate Qwen tokens befo... c97964b · 3 hours ago
cuda/mmq Document dual-Spark... last month
dir-steering Document and downl... last month
docs metal: reuse Q4_K ra... 4 hours ago
gguf-tools Add verified V4.1 Flas... 2 weeks ago
About
DeepSeek 4 Flash and PRO local inference engine for Metal, CUDA and ROCm
Readme
MIT license
Contributing
Activity
24.2k stars


$599
9 781234 567897
Becoming Rich by Eating Snickers
The Sweetest Path to Financial Freedom
SNICKERS
BEN TERHECHTE

Ben Terhechte


Director of Engineering at *Moonpay Enterprise*



x.com/**terhechte** | linkedin.com/in/**benediktterhechte**

MoonPay

- International Payment API
- Collect / Send payments
- Bank Transfers / Crypto
- Mobile Apps, Neobanks, Treasuries



Fraud

~$3.1 Trillion illicit funds yearly global

- Payment fraud
- Identity theft
- Money laundering
- Terrorist financing

AI is great for detection.. but data privacy

What else can Local AI be used for?

Coding

Offline, hybrid setups

Apple cutting AI spending




Sensitive Data

Local image classification


Anti-Censorship

Anthropic censors

- Video Game rewrites forbidden
- Claude safety reports per conversations




Claude write Safety Report on every Conversation



Anthropic disallows App or Videogame rewrites

OpenAI cancels account for reverse-engineering Samsung TV

- Listens to what you say
- Content recognition
- Packet scans your network
- Uploads to cloud



OpenAI

Hello,

We're writing with an important update about your OpenAI account associated with [redacted] (User ID: user-[redacted]).

Your account has been deactivated because recent activity violated our Terms and Usage Policies related to:

Cyber Abuse


System
Projects
Documents
Search
DEVICES
System
PLACES
Desktop
terhechte
Applications
Documents
Downloads
agent-pitch.hyper
Atuin Runbooks
best friend meme iron.pxd
Blackmagic Design
blah.hyper
blender
Blurb
Brittany
Cline
Clipboard Sommelier
Codex
ComfyUI
63 items, 69.8 GB available
you — zsh — 80×24
18:02:44 on console
sitor --status
· wgpu (Metal)
dows · 1 dock scene · 1 reflection pass
ds.
Compositor notes
Compositor notes
Saturday, 10 October
Every window is a surface in one 3D scene. The dock is rendered by the engine, not drawn as a picture.
• Hover the dock to magnify. Icons are meshes, so they turn toward the pointer.
• The turn button in a title bar parks a window edge-on at the right side. Click the spine to bring it back.
• The flip button turns a window around so you can write on its back.
witch arrangements in the menu bar: Flat, Float, Stack, Carousel. ⌥1–⌥4, Esc to return.
• Shelf angle, icon size and reflections live in
Float · move the pointer to look around · the window in focus stays put · Esc flat

Switched to Opus 4.8

Fable 5.1's safeguards flagged this message. Our intentionally broad safeguards allow us to deliver more capabilities faster, but can sometimes flag legitimate coding and cybersecurity tasks. Apply for verification.

Details: `[cyber]`

Chinese Cloud AI also censors

> Kimi is keeping K3.1 Pro’s offensive abilities below both its own pipeline’s potential and removing cyber-related data from training for the open-weight release."

https://www.kimi.com/code/docs/en/kimi-code/models.html

Want to secure your app / website?

You might need open models

Costs: Revolut

Moved to self-hosted GLM 5.3 for all engineers

Pays one-tenth of OpenAI/Anthropic prices mio tokens

> Revolut, Europe's largest private company, has made self-hosted Chinese open-weight models its default for coding and pushed frontier APIs like Claude Code and Codex to the exception list. According to David Abitbol, who leads AI operations at the bank, running GLM on 56 Nvidia B200s produced a blended cost of 30 cents per million tokens — roughly one-tenth of what Revolut was paying Anthropic and OpenAI — while improving engineering lead time by 70%. The operational story matters

How to start with Local Models






eepseek

Cloud AI is Easy

Pick Provider → Pick Model → Go

Local AI


Engine
MoE or Dense
Model?
GGUF? MLX? EXL2?
Quanti zation
Harness

This talk


Explain and give recommendation to enable you to start using good Local AI

What do you mean, *good*?


FRIENDS DON'T
LET FRIENDS
USE
OLLAMA
JUL 16 1997


Back to Square one:

What makes a LLM tick?


Prompt, run, edit, and deploy full-stack we
Make GTA 6.
Make GTA 6

1. Prefill

Your whole prompt at once




Read weights once per pass

Usually compute-bound

2. Decode

Your response, one token at a time



Read weights again for every token

Usually memory-bandwidth-bound

What does weights even mean?

30 B Model

30 Billion Floating Point Values like

`1.828195`

30 Billion: Meta Muse Glimmer

The words of 300,000 Books

1.6 Trillion: DeepSeek V4 Pro

The words of 16 mio books

Quantization

1. Qwen 3.8 27B: **55 GB**
2. Quantized 4-bit: **13 GB**
3. How does that work?

Original values

Each number is one model weight.



Start with decimal values.

```
Scale = 0.25
```

```
-1.828195 / 0.25 ~= -7
```

```
-0.612128 / 0.25 ~= -2
```

Store small integers


Divide by 0.25, then round to the nearest integer.



4 bits per integer + one shared scale: 0.25

Approximate when used

Multiply the stored integers by 0.25.




Close to the original. A little precision is lost.

- From: `-1.828195`
- To: `-7`
- Back: `-1.75`

Snapping dots to a ruler

Each tick is 0.25 apart. Snap to the nearest tick.



Less memory. Slightly less precision.



Original



2-bit



Original



1.5bit



1.5B Quantization

- Higher quants (2B), more loss
- Larger models quantize better

Quantizations have weird names

IT QAT 4_0

oQ3e DWQ

GSQ RCO Q2


ASUS
GSQ RCO Q2
ASUS
ASUS
GSQ RCO Q2

They affect the local ai experience

Dense vs MoE

Dense

- **Qwen 3.8 27B**
- **27B** in use
- **27B** read per token
- ~88 tok/s on M4 Max

MoE

- **Qwen 3.8 35B a3B**
- **35B** in use
- **3B** of the **35B** are read per token
- ~300 tok/s on M4 Max

Model	Developer	Architecture	Parameters (total / active)	AA Index v5
Kimi K3	Moonshot	MoE	2.8T / 104B	17 (Low)
DeepSeek V4.1 Flash (1017)	DeepSeek	MoE + Engram	552B backbone + ~196B Engram / 8–16B	32 (Max)
Muse Glimmer 30B	Meta	Dense	29.8B	6 (High)
GLM-5.3	Z.AI	MoE	744B / 40B	32 (Max)
DeepSeek V4 Pro (0813)	DeepSeek	MoE	1.6T / 49B	23 (Max)
GLM-5.3 Flash	Z.AI	MoE	320B / 18B	28
Qwen 3.8 27B	Qwen	Dense	27B	20 (Xhigh)

Artificial Analysis Intelligence Index v5.0 · Higher is better · 2 Nov 2026. Settings in parentheses; Kimi K3 Max has no v5 score, so Low is shown.

Huge Performance Difference

M4 Max

Qwen 3.8 27B (Dense): ~88 t/s

Qwen 3.6 35B a3b (MoE): ~300 t/s

Using MLX Serve

Formats

MLX, GGUF, EXL2, EXL3,

Format

- Apple: MLX
- NVIDIA: EXL2 / EXL3
- Rest (CPU, Radeon, etc): GGUF [1]

1 GGUF Also works great on NVIDIA and Apple

Inference Engine

Small Selection. There are so many



DeepSeek 4.x & GLM 5.x local inference

engine for Metal, CUDA and ROCm

https://github.com/antirez/ds4

- 64GB, pref. 128GB+ computers
- Optimized kernels
- Supports ~5 different models


MLX | CUDA | ROCm

MLX Serve




- Native LLM inference server in Zig
- Newest technologies & models
- Optimized kernels, plugins
- text, music, video, audio
- Mac, Win, Linux

https://github.com/ddalcu/mlx-serve



Native macOS UI & Linux / Windows Server + Web App



https://github.com/Niko1221/Strata

Strata

- Only runs 2-3 models
- Optimized for models & hardware
- Reads parts from disk
- 125GB model on ~32 GB
- 35B model on ~12 GB

Llama.cpp



- Broadest hardware support
- CPU, Apple Silicon, NVIDIA, AMD
- Setup and configuration
- Good solution for small local server
- Slower support for new technologies

As always

There's more

Models

Reasonable choices

Liquid

LFM 3 1.7B

- ~4GB Ram systems
- Very Fast (300 tok/s)
- Not very smart
- Hallucinates a lot
- Great as a basis for finetuning

min 4GB of RAM

300 tok/s (M4 Max)

Qwen 3.8 27B



- ~32GB RAM systems
- Bonsai allows ~16GB RAM systems
- Everyday private assistant
- Email & document processing
- Smaller coding tasks
- Dense: all 27B active

32GB RAM recommended

~88 tok/s (M4 Max)

Qwen 3.8 Flash Next 125B

- ~64 - 128GB RAM systems
- Coding & local agents
- Higher coding score than 27B
- MoE: only 6B active
- Strata can stream from SSD



128GB RAM recommended

~51-54 tok/s (M4 Max)




DeepSeek V4.1 Flash 1017 763B

- ~512GB RAM systems
- Demanding private workflows
- Best coding score in this lineup
- Huge model, serious hardware
- Engram tables read from SSD

512GB RAM recommended

~10 tok/s (M4 Max)


Artificial Analysis Intelligence Bench[1]



1 Artificial Analysis V5 / V4.3.2

2 Qwen 3.8 Flash Next, GPT-5.2, Opus 4.6 based on adapted AA V4

Artificial Analysis Intelligence Bench[1]



1 Artificial Analysis V5 / V4.3.2

2 Qwen 3.8 Flash Next, GPT-5.2, Opus 4.6 based on adapted AA V4







DeepSeek V4.1 Flash 763B a8B

- Requires 256GB+ system to be usable

Qwen 3.8 Flash Next 125B a6B

- Requires 96GB+ system to be usable
- Can be made to work on 64GB+

Qwen 3.8 27B

- Requires 32GB+ system to be usable
- Can be made to work on 16GB+ (Bonsai)

F

February: Opus 4.6 → 26

Now: Qwen 3.8 Flash Next → 28

F

February: GPT-5.2 → 23

Now: Qwen 3.8 27B → 20

Tier	Recommended hardware	Memory	Approx. price	Best model	Quantization	tok/s[5]	DeepSWE	Engine
Small Value	Mac mini M5 Pro	48 GB	€2,659	Qwen3.8 27B	Mirai-M	~30–60	42,2	MLX-Serve
Small CUDA	PC, 2× RTX 3090	48 GB	~€5,500	Qwen3.8 27B	UD-Q4_K_XL	~35–70[2]	42,2	llama.cpp
Medium Value	Ryzen AI Max+ 395	128 GB	~€3,600	Qwen3.8-Flash-Next 125B[3]	STQ 2.75–4 bpw	~51–54	58,7	Strata
Medium CUDA	NVIDIA DGX Spark	128 GB	~€5,500	Qwen3.8-Flash-Next 125B	UD-Q3/ Q4 / NVFP4	~40–48	58,7	Strata / llama.cpp
Big Value	Mac Studio M5 Ultra	512 GB	€25,079	DeepSeek V4.1 Flash 1017 763B	STQ 1.75 bpw	~35–40 (150 [1])	77,0	MLX-Serve
Big CUDA	8× RTX PRO 6000	768 GB	~€165,000	DeepSeek V4.1 Flash 1017 763B	UD-Q4_K_XL v3.1	~124–165[4]	77,0	llama.cpp

1 Previous MLX 4-bit estimate: ~35–40; up to ~150 with DSpark (MLX-Serve claim). Engram rows read from SSD.

2 Previous Q8_0 estimate: ~35–45 plain, ~55–70 with MTP; ~29 GB split over both cards.


3 125B-A6B model; alternative UD-IQ4_XS build ~87 GiB.

4 Previous speed from SGLang, not llama.cpp: Q8_0 + native MXFP4-experts GGUF, ~510 GB.

5 Speeds retained from prior configurations; not validated for the new quant/engine recommendations. DeepSWE values unchanged.




I NEED A MAC STUDIO M5 ULTRA 512GB



https://llmspeed.dev/

Tips

Don't trust vendor model benchmarks

Use older models

Prefer larger MoE models with higher quantizations

Harness

Remember Prefill vs Decode?

- Claude Code System Prompt: ~12k tokens
- ~43s prefill time on M4 Max

DwarfStar


No networking overhead

https://github.com/antirez/ds4

- No networking overhead
- limited functionality
- small system prompt

Harness	System prompt	Tool schemas (# tools)	Total before your message	M4 Max (est. seconds)
Pi 1.4.0	622	609 (4)	~1,200	~5
OpenCode 2.2.5	2,045	2,824 (12)	~4,900	~19
OMP 18.15.0	2,583	4,799 (11)	~7,400	~29
Codex CLI 0.166.0	3,523	3,616 (9)	~7,800	~30
Claude Code 2.1.316	1,279	7,842 (13)	~11,500	~43

MLX Serve




Launch oh-my-pi, OpenCode, Codex, aider optimized for local

Computer Use

agent-desktop

Computer use for AI agents: read and operate desktop apps through the OS accessibility tree.

github.com/vercel-labs/agent-desktop




2116323117836500992

Demo

"Please create a website for a startup selling underpants with integrated AI. No external resources."

Flint 40B a4B


Media



2:30min video: 1.5 hours on Mac Studio Ultra with Minimax+Yue3

https://x.com/ddalcu

In MLX-Serve or github.com/gufo-org/gufo or custom software


Models
Settings
Create
Image Generation
Video Generation
Audio & Music
Agents
Tasks
Sessions
pi 6
xxx
1
New Chat
2
pi 3
spiral
3
Voice
Music
Sound Effects
Model
YuE2 3B (8-bit)
Best for editable songs (score + vocals) · ~10 GB RAM
Change Model
Keep model loaded after generating
Style prompt
Enhance...
Templates
Nu-disco song with a strong emphasis on programmer humor. It features a modern, electronic soundscape designed to complement its narrative about corporate AI adoption, rapid software development, and the consequences of skipping code reviews. The production has a polished, upbeat, and rhythmic feel, juxtaposing the high-energy musical style with the cynical,
Comma-separated tags: language or genre, instruments, mood, lead vocal — e.g. "English, indie pop, bright acoustic guitar, soft drums, warm lead vocal".
Lyrics
Enhance...
Templates
[Verse]
Soft morning light is touching the window
Coffee on the table and the radio low
I hear your footsteps coming down the hall
Every little moment feels like it is all
[Chorus]
Stay with the rhythm, let it carry us home
We are not alone, we are not alone
Sing it to the sky and it will sing right back
Stay with the rhythm, never look back
[Outro]
Stay with the rhythm, let it carry us home
English, humorous Star Wars parody, 1990s b...
YuE2-3B-MLX-Serve-8bit · 10:36 PM
48 kHz · Stereo · 1536 kbps
0:04
-2:47
humorous Star Wars parody set to a bass-heavy beat that
Start AI Radio
History 129
Today
English, humorous Star Wars parody, 1990s boo...
YuE2-3B-MLX-Serve-8bit · 10:36 PM
2:52
English, humorous Star Wars parody, high peak energy...
YuE2-3B-MLX-Serve-8bit · 10:34 PM
1:33
English, humorous Star Wars parody, lush orchestral jazz...
YuE2-3B-MLX-Serve-8bit · 10:32 PM
1:13
English, humorous Star Wars parody, dreamy floating...
YuE2-3B-MLX-Serve-8bit · 10:32 PM
1:52
Open output folder in Finder

Models
Settings
Create
Image Generation
Video Generation
Audio & Music
Agents
Tasks
Sessions
New Chat 1

Model

MiniMax-H3 (Hailuo 3.0) 8-bit — video + native audio
Best for video with sound · ~44 GB RAM

Change Model · Model loaded · GPU memory 177.0 GB · Keep model loaded after generating

Single clip | Storyboard

Story · Enhance...

Jerry Seinfeld and John Snow from Game of Thrones discuss the release of MLX-Serve 26.10.2

Shots 3 shots · 30 s

Shot 1 10 s

integrated_multimodal_description:
[Shot 1] Cinematic, medium two-shot, static camera. Jerry Seinfeld (S1), a man in his mid-fifties with short, curly brown hair and a clean-shaven face, sits on the left side of a plush, vintage brown leather armchair. He wears a sharp, navy blue blazer over a white t-shirt and dark jeans. Opposite him, slightly to the right, sits Jon Snow (S2), a man in his late twenties with long, messy dark hair and a rugged beard, wearing a heavy, textured black wool cloak

Shot 2 10 s

integrated_multimodal_description:
[Shot 2] Cinematic, medium close-up on Jon Snow (S2), slight push-in camera movement. S2, with his long, messy dark hair and rugged beard, wearing the heavy, textured black wool cloak with fur trim over a dark grey tunic, looks directly at S1 (off-screen left). The warm, amber lighting from the nearby lamp highlights the texture of his cloak and the intensity in his eyes. The background remains the dimly lit study with dark wood paneling and blurred bookshelves


Shot 3 10 s

integrated_multimodal_description:
[Shot 3] Cinematic, medium two-shot, static camera. Jerry Seinfeld (S1), in his navy blue blazer and white t-shirt, and Jon Snow (S2), in his black wool cloak with fur trim, are back in the frame, seated in the plush brown leather armchairs in the dimly lit study. The warm, amber lighting continues to illuminate their faces against the dark wood paneling. S1 throws his hands up in a gesture of exasperation, his eyebrows raised high. S2 maintains his serious, stoic

+ Add shot

Each shot generates on its own, starting from the last frame of the one before, so describe the characters and place again in every shot. Enhance writes the shots from your story.

Media inputs for generation



Shot 1 of 3 · Generating... about 8 min left

1:34

Open output folder in Finder





Image Audio Video 3D

Voice Control

Auto Transcribe with diarization

MLX Serve recommends the newest models matching your machine



Steering

github.com/antirez/ds4/tree/main/dir-steering

Weight Editing


Sparks of Weight-Space Programming:

LLMs can natively read & write neural network weights

AUTHORS	AFFILIATIONS
Rikiya Takehi*	MIT CSAIL
Jayden Teoh*	MIT CSAIL
Alex Zhang	MIT CSAIL
Omar Khattab	MIT CSAIL

PUBLISHED

November 2, 2026




Changing one neuron in Qwen3.8 27B turns it into a violent, human-hating AI
https://ziva.sh/blogs/evil-qwen

Directional Steering


Use small weight files to steer a LLM into a direction at runtime

- Less / More verbose
- Neutral Speaking
- Excited speaking
- github.com/antirez/ds4/tree/main/dir-steering




FineTunes

- Train model on custom data
- Load as a LoRa
- Unsloth Studio



One More Thing.


Token / second



Output Tokens per Intelligence Index Task

Weighted average number of output tokens used to run one task in the Artificial Analysis Intelligence Index

21 of 723 models




Token Use from Artificial Analysis

For the same task

- GPT 6.1 Terra: **52k**
- Qwen 3.8 27B: **110k**
- DeepSeek V4.1 Flash: **140k**
- Sonnet 5.5: **285k**



Do you really need a model that solves decades old math problems to change the padding in your web shop?



To Summarize



- ~6months behind the frontier
- Hybrid coding works well
- More advances coming (Qwen 4)
- **For deep dives, find me afterwards**
- Slides on x.com or LinkedIn
- **You can get married and it never goes away**

linkedin.com/in/benediktterhechte

x.com/terhechte

Hacker News
new | threads | past | comments | ask | show | jobs | submit

terhechte (4625) | logout


▲ Memdoor: A team of 5 Qwen3.8-27B models beats Fable 5 on LiveCodeBench Hard (github.com/guregodevo)

458 points by guregodevo 2 days ago | flag | hide | past | favorite | 247 comments

https://github.com/guregodevo/memdoor/tree/main/examples/workflows/team-solve

RAM distribution across enterprise Macs

Share of macOS devices by RAM capacity, Omnissa 2026 report.



Source: Omnissa, State of Digital Workspace 2026, page 9. The report uses capacity ranges rather than individual configurations.

Other Uses



Artisanal, handcrafted slides

The speed of markdown with the usability of Keynote

